



**SUMMIT™**  
OPEN LUXURY FIREPLACES







72" Summit Linear, Bedrock Contemporary





**Summit Open Luxury Fireplaces** is redefining home elegance with innovative fireplace solutions. Our Summit Open Linear Luxury Fireplace is designed with a sleek, modern aesthetic and a variety of customizable features; the Summit series offers a range of installation configurations, panel options, and burner choices, including the Bedrock Contemporary or Bedrock Traditional with Driftwood GlowFire™ Logs

Whether you want to enhance your home's ambiance with a contemporary or traditional look, you can create a custom fireplace that perfectly complements your home's aesthetic.

---

**SIZES** 48" 60" 72"

### **CONFIGURATION OPTIONS**

Front View  
Left Corner  
Right Corner  
Bay

*all configurable from one SKU*

### **BURNERS**

Bedrock Traditional or Bedrock Contemporary

### **PANEL OPTIONS**

Matte Black | Glossy Black | Black Fluted Fiber

**VENTING** 12" B-Vent System

### **CONTROLS**

Multifunction SIT ProFlame Burner Remote and LED Remote or App for integrated LED light controls


### **VIEWING AREA**

24" Standard *with the option to reduce the viewing area to 18"*


## BEDROCK CONTEMPORARY MODELS



Bedrock Contemporary 72"



Gray Cannonballs



Concrete Driftwood Logs

15,000 BTUs per foot

Must add ½" reflective glass (5 lbs/foot) or lava granules

Optional cannonballs or concrete driftwood logs

## BEDROCK CONTEMPORARY FIREPLACE BURNER SPECIFICATIONS

### NATURAL GAS MODELS

MODEL	RATED	RATED
NG MODELS	High	Low
SML-48BR-VEN	60,000	40,000
SML-60BR-VEN	75,000	50,000
SML-72BR-VEN	90,000	60,000

### LIQUID PROPANE MODELS

MODEL	RATED	RATED
LP MODELS	High	Low
SML-48BR-VEP	60,000	30,000
SML-60BR-VEP	75,000	40,000
SML-72BR-VEP	90,000	50,000


## BEDROCK TRADITIONAL MODELS



Bedrock Traditional 72"



GlowFire™ Logs



1/2" Reflective Glass

Driftwood \*GlowFire™ logs included

Must add 1/2" reflective glass  
or lava granules (5 lbs/foot)

## BEDROCK TRADITIONAL FIREPLACE BURNER SPECIFICATIONS

### NATURAL GAS MODELS

MODEL	RATED	RATED
LP MODELS	High	Low
SML-48BRT-VEN	69,000	45,000
SML-60BRT-VEN	95,000	60,000
SML-72BRT-VEN	95,000	60,000

### LIQUID PROPANE MODELS

MODEL	RATED	RATED
LP MODELS	High	Low
SML-48BRT-VEP	62,000	30,000
SML-60BRT-VEP	85,000	40,000
SML-72BRT-VEP	85,000	40,000





FRONT



BAY



RIGHT CORNER



CORNER


# LIGHTING, CONTROLS, AND ACCESSORIES

## SIT PROFLAME II REMOTE — Ignition and flame controls with five flame heights




Lighting controls available through a remote or an iOS and Android compatible app that allows user to manage LED lighting in the ember bed across the full-color spectrum and halogen downlighting.


## FIREPLACE PANELS — Choose from three fireplace panel sets



**BLACK GLOSS**



**BLACK MATTE**



**BLACK FLUTED FIBER**


## 6" REDUCTION PANEL KITS

This kit reduces the viewing area height from 24" to 18". It includes the reduction panel and side drywall stops.

# FRAME IN SPECIFICATIONS

## FRONT VIEW


MODEL	FRAMING DIMENSIONS			BOTTOM TO DRYWALL STOP	VIEWING AREA
	A	B	C	D	E
SML-48XXX-XX	54 1/8"	47"	20 1/2"	6 3/4"	50 1/4"
SML-60XXX-XX	66 1/8"	47"	20 1/2"	6 3/4"	62 1/4"
SML-72XXX-XX	78 1/8"	47"	20 1/2"	6 3/4"	74 1/4"



## LEFT CORNER


(Reverse for right corner)

MODEL	FRAMING DIMENSIONS			BOTTOM TO DRYWALL STOP	VIEWING AREA
	A	B	C	D	E
SML-48XXX-XX	54 1/8"	47"	20 1/2"	6 3/4"	50 1/4"
SML-60XXX-XX	66 1/8"	47"	20 1/2"	6 3/4"	62 1/4"
SML-72XXX-XX	78 1/8"	47"	20 1/2"	6 3/4"	74 1/4"



## BAY

MODEL	FRAMING DIMENSIONS			BOTTOM TO DRYWALL STOP	VIEWING AREA
	A	B	C	D	E
SML-48XXX-XX	54 1/8"	47"	20 1/2"	6 3/4"	50 1/4"
SML-60XXX-XX	66 1/8"	47"	20 1/2"	6 3/4"	62 1/4"
SML-72XXX-XX	78 1/8"	47"	20 1/2"	6 3/4"	74 1/4"



## CORNER

MODEL	FRAMING DIMENSIONS			BOTTOM TO DRYWALL STOP	VIEWING AREA
	A	B	C	D	E
SML-48XXX-XX	54 1/8"	47"	20 1/2"	6 3/4"	50 1/4"
SML-60XXX-XX	66 1/8"	47"	20 1/2"	6 3/4"	62 1/4"
SML-72XXX-XX	78 1/8"	47"	20 1/2"	6 3/4"	74 1/4"

